CORRES. CONTI	ROL		
OUTGOING LTR.	NO.		
DOE ORDER# 4700.1			
05-RF-004	452		
DIST.	LTR	ENC	
DIETER, T.J.			
FERRERA, D.W.	X		
LINDSAY, D.C.			KAISER+HILL
LONG, J.	$\top$	_	COMPANY
LYLE, J.L.	1		
MARTINEZ, L. A.	1		
PIZZUTO, V.M.	+		
SHELTON, D.C.	1-1	<del></del> -	
SPEARS, M.S.	1-1		May 5, 2005 05-00452-05
TUOR, N. R.	1-1	· · ·	May 5, 2005 05-00452-05
700K, N. K.	+		$\cdot$
	+		
<del></del>	╂━	سند	
BEAN, C.	-		
	4		Mr. Steve Gunderson
DECK, C.	4-4		Permitting and Compliance Unit Leader
FOSS, D.	4		
FRANCIS, M.	1		Federal Facilities Program
FREIBOTH, C.	1		Hazardous Materials and Waste Management Division
GEJS, A.			Colorado Department of Public Health and the Environment
GIBBS, F.	X		
HUMISTON, T.			4300 Cherry Creek Drive South
KNAPP, S.			Denver, Colorado 80246-1530
LAVORATO, K.			
LINSINBIGLER, H.	П		OF A CANADA CANADA DE DODO CA COMPE OF DODA CONTAINED CTODACE UNIT
MYERS, K.	П		CLOSURE SUMMARY REPORT FOR CLOSURE OF RCRA CONTAINER STORAGE UNIT
NESTA, S.	X	X	460.1 IN BUILDING 460 – SMN-025-05
NORTH, K-	$\Box$		
OMAN, K.	$\sqcap$		
PLAPPERT, R.	11		Dear Mr. Gunderson:
PRIMROSE, A.	$\Box$	——{	
RICHARDELLA, R.	1 1	_	Pursuant to the Rocky Flats RCRA Part B Permit, Part X, Closure (June 1997), Kaiser-Hill Company
SNYDER, D.P.	†-†		
SWARTZ, J.M.	IX	$\mathbf{x}$	L.L.C. is submitting the attached Closure Summary Report for this unit.
WARD, D.A.	╅	-;	
WIEMELT, K	Н	—	The summary report contains a description of the major closure activities and a declaration that the
SILLS, S.	╅		The summary report contains a description of the major record state of the summary report of the summary (CDD) have been falfilled. Disease note that
SHULER, K.	╂╌╂	_	requirements of the Closure Description Document (CDD) have been fulfilled. Please note that
WARD D	╁┵	×	activities conducted under the CDD only addressed the secondary containment pans and rollers in the
- 11110	H	4	five cargoes, the floor of the unit (i.e., the floor of B460 highbay) was administratively closed as agreed
<del></del>	1-1	_	Two engloss, the front of the time time (i.e., the front of 2 to a grant ) and the first of 2005
<del></del>			to in your response dated February 4, 2005.
· <del></del>	1-1		
CORRES.CONTROL	X	~	If you have any questions, please contact Stephen Nesta of Kaiser-Hill Remediation Industrial D&D,
ADMIN RECRD/T130G			
	X	<u>스</u>	Site Services (RISS) at 303-966-6386.
TRAFFIC PATS/130	$\blacksquare$	<u> </u>	
	Щ		
CLASSIFICATIO	IN:		
UCNI	$\sqcup$		St. 1 1 10 05/05/05
UNCLASSIFIED	$\sqcup$	^	supply 11. 1 cells 01/01/03
CONFIDENTIAL	Ш		Stephen M. Nesta Date
SECRET			Dorphan
AUTHORIZED CLASSIFIE	ER		Environmental Manager, K-H RISS
SIGNATURE:			
Date:		_	VIN
IN REPLY TO RFP CC NO	<b>Q.</b> :		KLM:
			\\
ACTION ITEM STAT	rus:		Attachment:
PARTIAL/OPEN			As Stated
	OSE	<u>D</u>	no biainu
LTR APPROVAL	S:		
			CC:
ORIG. & TYPIST INIT	TALS	:	H. Ainscough - CDPHE
SMN:pvt			
			J. Legare - DOE, RFFO  C. Marron DOE RFFO ADMIN RECORD
RF-46469(Rev.9/94)			G. Morgan - DOE, RFFO ADMIN RECORD

Kaiser-Hill Company, L.L.C.
Rocky Flats Environmental Technology Site, 10808 Highway 93, Unit B, T130F, Golden, CO 80403-8200 ◆ (303) IA-A-002615

14

Summary Report for Closure of RCRA Container Storage Unit 460.1

U.S. Department of Energy
Rocky Flats Environmental Technology Site
EPA ID No. CO7890010526

## 1.0 PURPOSE

This Summary Report pertains to RCRA closure activities for the RCRA Container Storage Unit 460.1 in Building 460, and is a requirement of Section 1.1 of the Closure Description Document (CDD) for this RCRA Unit (05-RF-00073). This report contains a description of major closure activities and any deviations from those stated in the CDD and other relevant information.

## 2.0 DESCRIPTION OF MAJOR CLOSURE ACTIVITIES

Closure activities were conducted under Work Packages 460-004. The secondary containment pans and rollers were packaged in containers X29689 and X36808 and managed as LLM waste.

A Professional Engineer conducted the visual inspection of the floor area of RCRA Unit 460.1, in the highbay of Building 460, and certified closure of the unit via clean closure. There were no unanticipated circumstances or events to cause a deviation from the descriptions in the CDD.


## 3.0 SUMMARY

The requirements stated in the CDD have been fulfilled.

On March 23, 2005 I performed a visual inspection of the Building 460 highbay area RCRA Permitted Storage Unit 460.1. The unit was very clean and free of any staining that would be indicative of spilled material. A review of the operating history of this unit also confirmed that no spills had taken place in the unit.

I, the undersigned, a State of Colorado Registered Professional Engineer, hereby certify that closure via clean closure of Building 460 highbay area RCRA Permitted Storage Unit 460.1 has been satisfactorily completed.

Professional Engineer seal, signature, and date attesting to closure certification statement:



Michael Tylon Vess, P.E Colorado P.E. Number 36144 March 29, 2005